


MEMO 41	Dato: 04.08.2005	Sign.: tb
TSS / RVK	Siste rev.: 12.02.2020	Sign.: jb
ADDITIONAL PRODUCTS RVK AND TSS	Dok. nr.: K3-11/9E	Kontr.: tb
PLANNING		


ADDITIONAL PRODUCTS RVK AND TSS

IC BOX SRU

The internal dimensions of the IC BOX SRU are b 185mm – h from shims 102mm - d 101mm
 The provided recess measures approximately 200mm wide x 132mm high x 111mm deep. Setting-out in the wall should be from the top edge of the faceplate which, if an RVK101 connector is specified, should be 27mm below the top of the landing. If a TSS connector is specified, the setting-out is projectspecific, due to the variable depth of the TSS connector within the slab.



IC BOX SRU with RVK




IC BOX SRU with TSS

IC BOX

The internal dimensions of the IC BOX are b 185mm – h 115mm - d 101mm

The provided recess measures approximately 200mm wide x 132mm high x 111mm deep. Setting-out in the wall should be from the top edge of the faceplate which, if an RVK101 connector is specified, should be 27mm below the top of the landing. If a TSS connector is specified, the setting-out is projectspecific, due to the variable depth of the TSS connector within the slab.




IC BOX with RVK


IC BOX with TSS

Rubber flange for RVK/TSS 41, 101 and TSS 102


The flange is made of rubber elastomer. Hardness = 60 shore. The flange is suitable for impact sound insulation, when it is embedded in the landing.




Flange dimensions for RVK/TSS 41



Flange dimensions for RVK/TSS 101






Flange dimensions for TSS 102



Guiding piece/ lid for TSS and RVK

The guiding pieces are made of polyethylene PE. And can also be used as a lid for the TSS/ RVK units when they are stored outside.


Article no.	Description
Lokk 40	Lokk 80x50x4 PE
Lokk 100	Lokk 120x60x4 PE




Winter storage

This product is used to prevent water and snow entering the RVK/TSS device when the landing is stored outside, especially in winter.

The product is made of EPDM POS 300/60, this fabric is water repellent.



Seal 40



Seal 100